



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

ALABAMA—*Montgomery*.—Month of January, 1899. Census population, 21,883. Total number of deaths, 50.

Month of February. Total number of deaths, 30.

Month of March. Total number of deaths, 50.

FLORIDA.—Reports to the State board of health for the month of February, 1899, from 45 counties having an aggregate population of 464,639, show a total of 316 deaths, including diphtheria, 2; enteric fever, 4; measles, 9; influenza, 9; scarlet fever, 2; whooping cough, 1, and 37 from phthisis pulmonalis.

ILLINOIS—*Chicago*.—Month of March, 1899. Estimated population, 1,650,000. Total number of deaths, 2,343, including diphtheria, 55; enteric fever, 18; influenza, 63; measles, 6; scarlet fever, 68; whooping cough, 5, and 226 from phthisis pulmonalis.

During the week ended April 15, 1899, 6 certificates were returned giving influenza and its complications, chiefly chronic diseases, as the cause thereof, 9 giving diphtheria as the cause, 58 cases being reported, and 16 giving scarlet fever as the cause, 143 cases being reported.

MAINE—*Portland*.—Four weeks ended April 15, 1899. Estimated population, 50,000. Total number of deaths, 72, including enteric fever, 1, and 3 from phthisis pulmonalis.

MASSACHUSETTS—*Fitchburg*.—Month of March, 1899. Estimated population 29,438. Total number of deaths, 37, including cerebrospinal meningitis, 2; influenza, 2; measles, 1, and 2 from phthisis pulmonalis.

*North Attleboro*.—Month of January, 1899. Census population, 6,727. Total number of deaths, 13, including 1 death from phthisis pulmonalis.

Month of February. Total number of deaths, 14, including diphtheria, 1, and 1 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended April 15, 1899, from 67 observers, indicate that no disease showed a marked increase or decrease during the week. Phthisis pulmonalis was reported present at 133, measles at 58, scarlet fever at 42, diphtheria at 17, enteric fever at 16, whooping cough at 12, and smallpox at 5 places.

*Grand Rapids*.—Month of March, 1899. Estimated population, 90,000. Total number of deaths, 145, including diphtheria, 2; enteric fever, 3, and 13 from phthisis pulmonalis.

NEW YORK—*Auburn*.—Month of March, 1899. Estimated population, 30,000. Total number of deaths, 57, including diphtheria, 1, and 2 from phthisis pulmonalis.

OHIO—*Cleveland*.—Month of March, 1899. Estimated population, 395,000. Total number of deaths, 501, including diphtheria, 6; enteric fever, 15; influenza, 6; scarlet fever, 4; smallpox, 1, and 18 from phthisis pulmonalis.

WASHINGTON—*Seattle*.—Month of March, 1899. Estimated population, 75,000. Total number of deaths, 60, including enteric fever, 2, and 4 from phthisis pulmonalis.

*Tacoma*.—Month of March, 1899. Estimated population, 50,000. Total number of deaths, 38, including 5 from phthisis pulmonalis.